



# POOL BEREICH


## POOL AREA

 **BUTTERFLY**  
*World of mosaic*



**VP100PUR**  
Matte/sheet 316x316mm  
Stein/stone 25x25x4mm




**VP110PUR**  
Matte/sheet 316x316mm  
Stein/stone 25x25x4mm




**VP501PUR**  
Matte/sheet 316x316mm  
Stein/stone 25x25x4mm




**VP503PUR**  
Matte/sheet 316x316mm  
Stein/stone 25x25x4mm




**VP508PUR**  
Matte/sheet 316x316mm  
Stein/stone 25x25x4mm




**VP1158PUR**  
Matte/sheet 316x316mm  
Stein/stone 25x25x4mm



**VP25801PUR**  
Matte/sheet 316x316mm  
Stein/stone 25x25x4mm




**VP25808PUR**  
Matte/sheet 316x316mm  
Stein/stone 25x25x4mm




**VP25820PUR**  
Matte/sheet 316x316mm  
Stein/stone 25x25x4mm



**VP100PAT**  
Matte/sheet 316x316mm  
Stein/stone 25x25x4mm / R11C




**VP110PAT**  
Matte/sheet 316x316mm  
Stein/stone 25x25x4mm / R11C




**VP501PAT**  
Matte/sheet 316x316mm  
Stein/stone 25x25x4mm / R11C



**VP503PAT**  
Matte/sheet 316x316mm  
Stein/stone 25x25x4mm / R11C



**VP508PAT**  
Matte/sheet 316x316mm  
Stein/stone 25x25x4mm / R11C



**VP1158PAT**  
Matte/sheet 316x316mm  
Stein/stone 25x25x4mm / R11C




# Serie/Series Shell




**VP55251PUR**

Matte/sheet 316x316mm  
Stein/stone 25x25x4mm





**VP55252PUR**

Matte/sheet 316x316mm  
Stein/stone 25x25x4mm




**VP55253PUR**

Matte/sheet 316x316mm  
Stein/stone 25x25x4mm




**VP55254PUR**

Matte/sheet 316x316mm  
Stein/stone 25x25x4mm



**VP55255PUR**


Matte/sheet 316x316mm  
Stein/stone 25x25x4mm




**VP55256PUR**

Matte/sheet 316x316mm  
Stein/stone 25x25x4mm



**VP55381PUR**  
Matte/sheet 316x316mm  
Stein/stone 38x38x4mm



**VP55382PUR**  
Matte/sheet 316x316mm  
Stein/stone 38x38x4mm



**VP55383PUR**  
Matte/sheet 316x316mm  
Stein/stone 38x38x4mm



**VP55384PUR**  
Matte/sheet 316x316mm  
Stein/stone 38x38x4mm



**VP55385PUR**  
Matte/sheet 316x316mm  
Stein/stone 38x38x4mm



**VP55386PUR**  
Matte/sheet 316x316mm  
Stein/stone 38x38x4mm






**VP56251PUR**

Matte/sheet 316x316mm  
Stein/stone 25x25x4mm





**VP56253PUR**

Matte/sheet 316x316mm  
Stein/stone 25x25x4mm




**VP56254PUR**

Matte/sheet 316x316mm  
Stein/stone 25x25x4mm



**VP56255PUR**

Matte/sheet 316x316mm  
Stein/stone 25x25x4mm



**VP56256PUR**

Matte/sheet 316x316mm  
Stein/stone 25x25x4mm



**VP56258PUR**

Matte/sheet 316x316mm  
Stein/stone 25x25x4mm



**VP56381PUR**

**Matte**/sheet 316x316mm  
**Stein**/stone 38x38x4mm





**VP56383PUR**

**Matte**/sheet 316x316mm  
**Stein**/stone 38x38x4mm



**VP56384PUR**

**Matte**/sheet 316x316mm  
**Stein**/stone 38x38x4mm



**VP56385PUR**

**Matte**/sheet 316x316mm  
**Stein**/stone 38x38x4mm



**VP56386PUR**


**Matte**/sheet 316x316mm  
**Stein**/stone 38x38x4mm



**VP56388PUR**

**Matte**/sheet 316x316mm  
**Stein**/stone 38x38x4mm

## Sommerzeit ist Pool Zeit!




Die **HUH** Mosaik Poolserie (papierverklebt) besteht aus vier verschiedenen großen Poolbildern in der zeitlos eleganten Poolfarbmischung. Im Gegensatz zu netzverklebten Mosaiken besitzt diese Variante eine vorderseitiger Papierverklebung, sodass das Material/die einzelnen Steine noch besser und fester im Fliesenkleber haften.

Summer Time is pool time!

The **HUH** mosaic „pool series“ (paper mounted) contains of four different pool motives in a timeless elegant colour mix. In contrast to the net mounted mosaics, this variant is paper mounted in order to make sure, the material fits better to the grouting.



**Vorderseitige Ansicht  
Papierverklebung/  
Frontside View  
Paper mounting**



**Rückseitige Ansicht  
Papierverklebung/  
Backside View  
Paper mounting**

## Warum Papierverklebt?

Der Wegfall des rückseitigen Mosaiknetzes führt dazu, dass einzelne Mosaiksteine noch besser am Fliesenkleber haften.

Why paper mounted?

The elimination of the backside mosaic net gives a better adhesive effect to each single mosaic stone.

## Verlegehinweis Papierverklebung/ Installation guide for paper mounting



## Papierverklebt? Kaum Mehraufwand!

Traditionell wurde Mosaik immer vorderseitig papierverklebt. Tragen Sie wie gewohnt den Fliesenkleber auf die gewünschte Fläche auf und pressen Sie die Mosaikmatte gleichmäßig und fest an. Feuchten Sie nun mit einem Schwamm das Papier von außen an und ziehen Sie es ab - fertig!



## Paper mounted? Barley extra effort!






Traditionally, paper mounted mosaic has always been installed. Use grouting as usual and press the mosaic sheet evenly and firmly. Now, just moisten the paper with a sponge and peel it off slowly - finish!



# Serie/Series Pool

**GM A 11P**  
Matte/sheet 327x305mm  
Stein/stone 20x20x4mm




**GM A 31P**  
Matte/sheet 327x305mm  
Stein/stone 20x20x4mm



**GM A 37P**  
Matte/sheet 327x305mm  
Stein/stone 20x20x4mm

**GM A 38P**  
Matte/sheet 327x305mm  
Stein/stone 20x20x4mm




**GM A 321P**  
Matte/sheet 327x305mm  
Stein/stone 20x20x4mm



**GM A 323P**  
Matte/sheet 327x305mm  
Stein/stone 20x20x4mm

**GM A 327P**  
Matte/sheet 327x305mm  
Stein/stone 20x20x4mm

**GM A 331P**  
Matte/sheet 327x305mm  
Stein/stone 20x20x4mm




**GM A 335P**  
Matte/sheet 327x305mm  
Stein/stone 20x20x4mm

**GM A 339P**  
Matte/sheet 327x305mm  
Stein/stone 20x20x4mm

**GM BO 16P**  
Matte/sheet 217x217mm  
Stein/stone 20x20x4mm


**GM K33P** - 1100x430mm  
Matte/sheet 305x305mm  
Stein/stone 20x20x4mm



**GM K35P** - 1600 x 950mm  
Matte/sheet 305x305mm  
Stein/stone 20x20x4mm




**GM K37P** - 1600x1100mm  
Matte/sheet 305x305mm  
Stein/stone 20x20x4mm



**GM K39P** - 1164 x1164mm  
Matte/sheet 305x305mm  
Stein/stone 20x20x4mm





## Folienverklebtes Mosaik!

Die **HUH** Mosaik „Poolserie“ (folienverklebt) besteht aus drei verschiedenen Farben in jeweils zwei verschiedenen Größen. Im Gegensatz zu netzverklebten Mosaiken besitzt diese Variante eine vorderseitige Folienverklebung. Der Wegfall des rückseitigen Mosaiknetzes führt dazu, dass einzelne Mosaiksteine noch besser am Fliesenkleber haften.

### Foil mounted mosaic!

The **HUH** mosaic „pool series“ (foil mounted) contains of three different colours in two different sizes. In contrast to the net mounted mosaics, this variant is foil mounted. The elimination of the backside mosaic net gives a better adhesive effect to each single mosaic stone.

## Verlegehinweis Folienverklebung/Installation guide for foil mounting



- 1.** Reinigen Sie die Oberfläche und stellen Sie sicher, dass diese eben, glatt und frei von Defekten ist.  
Make sure the surface is clean, firm, flat and free of defects and grim/dirt.



- 2.** Tragen Sie den Kleber mit einem Zahnschachtel gleichmäßig auf den Untergrund auf.  
Apply the adhesive by a notched trowel onto the surface evenly.



- 3.** Tragen Sie den Kleber auf die Rückseite der Matte auf (nicht Folienseite!)  
Apply the adhesive on the backside of the sheet (not the foil side!)



- 4.** Legen Sie das Mosaik ins Klebebett und drücken Sie dieses gleichmäßig mit dem Zahnschachtel an.  
Apply the mosaic onto the adhesive and press firmly with the notched trowel.




- 5.** Lassen Sie den Kleber gemäß Anleitung trocknen.  
Let the adhesive dry referring to the installation instruction.




- 6.** Stellen Sie sicher, dass der Kleber ausgehärtet ist und feuchten Sie die Folie zum Abziehen an.  
Make sure the adhesive is set and firm and moisten the foil for peeling it off.



- 7.** Benutzen Sie ein Fugbrett, um das Fugmaterial für die Fugen aufzutragen.  
Use a joint board for applying grout into the joints.



- 8.** Lassen Sie den Fugenmörtel abbinden und wischen Sie das übrige Material mit einem feuchten Schwamm ab.  
Allow the grout to set and then clean up the excess grout with a damp sponge.




- 9.** Die fertige Verlegung!  
Installation finish!




**CM S100F**

**Matte**/sheet 304x304mm  
**Stein**/stone 23,5x23,5x4mm





**CM S363F**

**Matte**/sheet 304x304mm  
**Stein**/stone 23,5x23,5x4mm




**CM S265F**

**Matte**/sheet 304x304mm  
**Stein**/stone 23,5x23,5x4mm




**CM S200F**

**Matte**/sheet 298x298mm  
**Stein**/stone 48x48x4mm



**CM S463F**

**Matte**/sheet 298x298mm  
**Stein**/stone 48x48x4mm



**CM S365F**

**Matte**/sheet 298x298mm  
**Stein**/stone 48x48x4mm

# HAFTUNGSAUSSCHLUSS / DISCLAIMER

Bei unseren Mosaikbildern handelt es sich um Produktfotos. Diese können je nach persönlichem Empfinden, Chargen, Optik, Monitorfarbeinstellung und Druckverfahren, vom Original abweichen. Sie sollten sich daher immer eine Mosaikmatte real anschauen und chargengleich bestellen. Nehmen Sie beim Verlegen der Ware immer die Mosaikmatten aus verschiedenen Kartons, um ein einheitliches Farbbild zu erhalten. Verlegte Ware, unabhängig davon ob diese defekt ist, aus verschiedenen Chargen stammt oder es sich um das falsche Produkt handelt, ist grundsätzlich vom Umtausch ausgeschlossen. Es obliegt Ihrer Pflicht, größere Schäden im Vorfeld abzuwenden und sich stets vor der Verlegung zu vergewissern, dass sämtliche Parameter zufriedenstellend sind. Alle Angaben sind ohne Gewähr, Irrtümer und Änderungen sind vorbehalten. Sie finden unseren Haftungsausschluss und die AGBS unter [www.welscheit.de](http://www.welscheit.de)

Thomas Pusch, Marketing











Our mosaic images are product images. So be aware: These may differ from the original sheet, depending on personal impressions, batches, optic, monitor colour variation and printing methods. You should always have a look at the mosaic sheets in original and always order from the same batch. While installing the sheets, take them out of different cartons to get a consistent colour. Installed mosaic, whether it is broken, different batches or it is the wrong product, is principally excluded from exchange. It is your obligation to avoid bigger damages in the forefront of installation and to make sure that all parameters are satisfying. All information is provided without warranty, errors and omissions excepted. You can find our disclaimer and GTC on [www.welscheit.de](http://www.welscheit.de)

Thomas Pusch, Marketing

## LEGENDE / LEGENDS

Nachfolgend finden Sie eine Übersicht der verwendeten Piktogramme:

Following an overview of our used pictograms:

	<b>Bodeneignung 1 / Abrieb 1</b> PEI 1		<b>Frostbeständig</b> Frost resistance
	<b>Bodeneignung 2 / Abrieb 2</b> PEI 2		<b>Spritzwasser</b> Splash water areas
	<b>Bodeneignung 3 / Abrieb 3</b> PEI 3		<b>Nassbereich</b> Wet areas
	<b>Bodeneignung 4 / Abrieb 4</b> PEI 4		<b>Dauernassbereich</b> Permanently wet areas
	<b>Rutschhemmend</b> Anti Slip		<b>4 und 8 mm Stärke erhältlich</b> 4 and 8 mm strength available

Für weitere technische Details, besuchen Sie uns unter [www.welscheit.de](http://www.welscheit.de). Verlegeanleitungen und Reinigungshinweise finden Sie unter [www.mosaikinfo.de](http://www.mosaikinfo.de)

For additional technical data, visit us on [www.welscheit.de](http://www.welscheit.de). installation instructions and cleaning advices can be found on [www.mosaikinfo.de](http://www.mosaikinfo.de)

Grundsätzlich sind alle unsere Mosaik für die Wand, Innen- und Trockenbereich geeignet. Weitere Eigenschaften und Verwendungen entnehmen Sie bitte den jeweils abgebildeten Piktogrammen. Diese gelten nur bei fachgerechter Verlegung und Verwendung für den Einsatzzweck geeignetem Material ([www.mosaikinfo.de](http://www.mosaikinfo.de)).



**Frostbeständig:**  
So gekennzeichnete Mosaik sind frostbeständig und für außen geeignet.



**Spritzwasserbereich:**  
Alle Bereiche in denen Wasser, gelegentlich und in kleinstmengen an die Mosaik gesprenkelt werden könnte. Beispielsweise Küchenspiegel oder Waschbecken.



**Nassbereich:**  
Alle Bereiche in denen Wasser, temporär an das Mosaik gelangen könnte. Beispielsweise komplett verlegte Duschwände.



**Dauernassbereich:**  
Alle Bereiche, die permanent Wasser ausgesetzt sind. Beispielsweise Duschköden oder Pools.  
Keramische Mosaik auf Netz sind bei korrekter Anwendung (z.B. Epoxy Verklebung) auch im Pool einsetzbar.

Zusätzlich sind unsere Mosaik Einzelblattverpackt mit einer Verlegeanweisung und einem Daten-EAN-Etikett versehen.



[www.welschheit.de](http://www.welschheit.de)

[www.mosaikinfo.de](http://www.mosaikinfo.de)

Sofern ein Mosaik für den Boden geeignet ist, verfügt es über ein entsprechendes unten aufgeführtes Piktogramm.

Bodeneignung wird bei keramischen Mosaiken als Abrieb bezeichnet.



**Bodeneignung/Abrieb 1:**  
Mosaik ist für wenig beanspruchte Böden gedacht, welche nur barfuß begangen werden. Repräsentativ hierfür sind private Badezimmer.



**Bodeneignung/Abrieb 2:**  
Mosaik ist für Bereiche gedacht, die mehrheitlich mit Hausschuhen begangen werden. Repräsentativ hierfür sind private Wohnräume.



**Bodeneignung/Abrieb 3:**  
Das Mosaik ist für eine normal starke Beanspruchung ausgerichtet und kann mit herkömmlichen Schuhe betreten werden. Repräsentativ hierfür ist der Flur oder das Wohnzimmer.



**Bodeneignung/Abrieb 4:**  
Das Mosaik ist für stark beanspruchte und hochfrequentierte Wohn- & Geschäftsbereiche geeignet.



**Rutschfestigkeit/Trittfestigkeit:**  
Mosaik mit diesem Piktogramm sind gemäß der angegebenen Bewertungsgruppe R9 oder R10 und/oder mit den Buchstaben A, B, C gekennzeichnet.

# PIKTOGRAMME / PICTOGRAMS

All mosaics can be used for the wall, indoor and in dry areas. Further attributes and application possibilities can be seen on the associated pictograms. They are only valid professional installation and using recommended materials for the intended use ([www.mosaikinfo.de](http://www.mosaikinfo.de)).



**Frost resistance:**  
Mosaics with this pictogram are frost resistant and for outdoor areas.



**Splash water area:**  
All mosaic areas, which are sometimes exposed by very small amounts of water. For example the backsplash in the kitchen or behind the sink.



**Wet areas:**  
All mosaic areas which are temporary exposed by a higher amount of water. For example tiled shower walls.



**Permanent wet area:**  
All areas, which a heavily exposed and also submerged in water. For example shower floors or pools.  
Ceramic mesh mounted mosaics can also be installed in pools when installed correctly (e.g. with Epoxy glue).

Added to this, our mosaics are single sheet packed and have an installation guide and a Data-EAN-Label.



[www.welscheit.de](http://www.welscheit.de)

[www.mosaikinfo.de](http://www.mosaikinfo.de)

When a mosaic can used on the floor it is marked with one of the abrasion symbols below.

Floor suitability is called PEI for porcelain mosaics.



**PEI 1:**  
Is intended for low stressed floors, primarily stepped on bare feet. Like the masters bathroom.



**PEI 2:**  
Is intended for low stressed floors, primarily stepped by slippers. Like private living rooms.



**PEI 3:**  
Is for normal stressed floors which can be also stepped by normal shoes. Like the floor or the living room.



**PEI 4:**  
Is for heavily used and highly frequented living or business rooms.



**Surefootness:**  
Mosaics with the surefootness symbol marked with with R9 or R10 and/or with the letters A,B,C.